

1(a) Taylor is creating an online multiplayer game where users can create accounts and build their own circus. Each circus will contain characters such as clowns, animals, magicians and dancers.

Users can set up a new circus in the online world, purchase new characters and visit other users' circuses.

Taylor uses computational methods to analyse the problem including abstraction.

Describe how Taylor could use abstraction in the design of his online circus game.

[3]

[3]

(b) Taylor will make use of concurrent processing within his circus game .

i. Describe what is meant by the term 'concurrent processing'.

[2]

ii. Explain why concurrent processing is needed to allow multiple users to log in and interact with game elements at the same time.

[3]

(c) Some of the characters in the game will move and interact independently. Taylor is going to use graphs to plan the movements that each character can take within the game.

DancerGold is one character. The graph shown in Fig. 1 shows the possible movements that DancerGold can make.




Fig. 1

DancerGold's starting state is represented by node A. DancerGold can take any of the paths to reach the end state represented by node G.

The number on each path represents the number of seconds each movement takes.

The number in bold below each node is the heuristic value from A.

i. Define the term heuristic in relation to the A* algorithm.

[2]

ii. Perform an A* algorithm on the graph shown in Fig. 1 to find the shortest path from the starting node to the end node. Show your working, the nodes visited and the distance. You may choose to use the table below to give your answer.

Node	Distance travelled	Heuristic	Distance travelled + Heuristic	Previous node


Final path: _____

Distance: _____

[8]

(d) A breadth-first traversal can be performed on both a tree and a graph.

Show how a breadth-first traversal is performed on the following binary tree.



[6]

(e) * The game will have thousands of users. Taylor will store data about the users and their actions while playing the game in a large database.

Evaluate how Taylor can use data mining to inform future changes to improve his circus game.

[9]

2(a) The pseudocode function `binarySearch()` performs a binary search on the array `dataArray` that is passed as a parameter. The function returns the array index of `searchValue` within the array, and `-1` if it is not in the array.

The pseudocode binary search algorithm is incomplete.

i. Complete the algorithm by filling in the missing statements.

```
function binarySearch(dataArray:byref, upperbound, lowerbound, .....)  
    while true  
        middle = lowerbound + ((upperbound - lowerbound) .....)  
        if upperbound < lowerbound then  
            return .....  
        else  
            if dataArray[middle] < searchValue then  
                lowerbound = .....  
            elseif dataArray[middle] > searchValue then  
                upperbound = .....  
            else  
                return .....  
            endif  
        endif  
    endwhile  
endfunction
```

[6]

ii. The algorithm uses a while loop.

State a different type of loop that could be used instead of the while loop in the given algorithm.

[1]

(b) The tables below show possible Big O complexities for the worst-case space, best-case space and average time for search algorithms.

Tick the worst-case space complexity for a binary and linear search.

	Binary search	Linear search
$O(\log(n))$		
$O(1)$		
$O(n)$		

Tick the best-case space complexity for a binary and linear search.

	Binary search	Linear search
$O(\log(n))$		
$O(1)$		
$O(n)$		

Tick the average time complexity for a binary and linear search.

	Binary search	Linear search
$O(\log(n))$		
$O(1)$		
$O(n)$		

[6]

(c) Identify one situation where a linear search is more appropriate than a binary search.

[1]

3(a) A one dimensional array holds data that needs to be sorted.

Describe how a quicksort would sort data into ascending order.

[5]

(b) Explain why a quicksort is known as a divide and conquer algorithm.

[2]

[2]


4 * Anna currently writes her program code in a text editor and then runs the compiler.

She has been told that using an Integrated Development Environment (IDE) would be more helpful.

Discuss the benefits of Anna using an IDE to write and test her program rather than using a text editor.

[9]

5(a) Christoff is writing a program to simulate a city using object-oriented programming. He is designing classes to store different types of buildings and their location on the road. He has created the following plan for some of the buildings:



The method `new` is used to denote the constructor for each class.

State the purpose of the constructor.

[1]

(b) The classes office and house inherit from building.

Describe what is meant by inheritance with reference to these classes.

[2]

(c) Part of the declaration for the class building is shown.

Complete the pseudocode declaration by filling in the missing statements.

```
class building
    private numberFloors
    private width
    private .....
    public procedure new(pFloors, pWidth, pHeight)
        numberFloors = .....
        width = pWidth
        height = pHeight
    endprocedure
    public function getNumberFloors()
        return .....
    endfunction
    public function setNumberFloors(pFloors)
        //sets the value of numberFloors when the parameter is >= 1
        //returns true if numberFloors is successfully changed,
        //returns false otherwise
        if pFloors >= 1 then
            numberFloors = .....
            return true
        else
            return .....
        endif
    endfunction
endclass
```

[5]

(d) Write program code or pseudocode to declare the class house.

Define the attributes and constructor method in your answer. You do **not** need to write the get or set methods.

[6]

[6]

(e) Christoff develops a new class to store the houses in one road. His class design is shown:

```
class : houseRoad

attributes:
private buildings(100) //array of class house
private numberBuildings //records the number
//of houses currently stored in the array
//buildings

methods:
new(building)
function getBuilding(buildingNum)
procedure newbuilding(pBuilding)
```

The method `newbuilding()` takes a new building as a parameter, and stores this in the next free space in the array `buildings`.

Write pseudocode or program code for the method `newbuilding()`.

[4]

(f) Christoff wants to create a new house called houseOne. It has the properties: 2 floors, 8(m) width, 10(m) height, 3 bedrooms and 2 bathrooms.

The house is located on a road with the identifier limeAvenue of type houseRoad, houseOne is the first house in this road.

Write pseudocode or program code to declare the house houseOne, road limeAvenue and assign houseOne to the first array position in the road.

[4]

[4]

6(a) Amy's processor makes use of pipelining during the fetch-decode-execute cycle.

The processor's pipeline consists of the following stages:

- Fetching the instruction from memory
- Decoding the instruction
- Executing the instruction.

Instructions A, B, C and D need to be processed.

Identify the stage(s) and instruction(s) run during each pipeline below.

Pipeline 1

Pipeline 2

Pipeline 3

Pipeline 4

[4]

(b) Explain why pipelining can improve the performance of the processor.

[2]

7(a) Lucas writes a program that makes use of a circular queue. The queue stores the data entered into the program. An array is used to represent the queue.

The program needs two pointers to access and manipulate the data in the queue.

State the purpose of the two pointers and give an appropriate identifier for each.

Pointer 1 purpose _____

Pointer 1 identifier _____

Pointer 2 purpose _____

Pointer 2 identifier _____

[4]


(b) Lucas wants a procedure, `enqueue()`, that will add the parameter it is passed to the queue.

Describe the steps the procedure `enqueue()` will follow when adding new items to the queue.

[5]

8(a) A Nonogram is a logic puzzle where a player needs to colour in boxes. The puzzle is laid out as a grid and each square needs to be either coloured black or left white.

The numbers at the side of each row and column tells the player how many of the boxes are coloured in consecutively. Where a row has two or more numbers, there must be a white square between the coloured squares.



In this example:


- the first column has 1 1, this means there must be two single coloured boxes in this column. There must be at least 1 white box between them.
- the first row has 2, this means there must be two consecutively coloured boxes in the row.

Juan is creating a program that will store a series of Nonograms for a user to play. The game will randomly select a puzzle and display the blank grid with the numbers for each row and column to the user.

The user plays the game by selecting a box to change its colour. If the box is white it will change to black and if it is black it will change to white. The user can choose to check the answer at any point, and the game will compare the grid to the answers and tell the user if they have got it correct or not.

Juan is creating a structure diagram to design the game.

i. Complete the structure diagram by adding another layer for New game, Play game and Check answer.



[3]

ii. A structure diagram is one method of showing the decomposition of a problem.

Explain why decomposing a problem can help a developer design a solution.

[2]

iii. Identify **one** input, **one** process and **one** output required for the game.

Input

Process

Output

[3]

(b) Juan uses the structure diagram to create a modular program with a number of subroutines.

The program will use two integer 2-dimensional arrays to store the puzzles:

- `puzzle(5,5)` stores the solution
- `answerGrid(5,5)` stores the user's current grid.

A 0 represents a white box and a 1 represents a black box.

i. Juan creates a function, `countRow()`, to count the number of coloured boxes in one row and return the number of consecutive coloured boxes in that row. If there is more than one set of coloured boxes in the row, these are joined together and the string is returned. For example, in the following grid `countRow` for row 0 will return "2" as a string, and `countRow` for row 2 will return "1 1" as a string. If there are no 1s in a row, then "0" is returned as a string.

1	1	0	0	0
0	1	1	0	0
0	0	1	0	1
1	1	1	0	0
0	1	0	0	0

Complete the pseudocode algorithm `countRow()`.

```
01     function countRow(puzzle:byref, rowNum:byval)
02     count = 0
03     output = " "
04     for i = 0 to .....
05         if puzzle[rowNum, i] == ..... then
06             count = count + 1
07         elseif count >= 1 then
08             output = output + str(.....) + " "
09         count = 0
10     endif
11     next i
12     if count >= 1 then
13         output = output + str(count)
14     elseif output == " " then
15         output = "....."
16     endif
17     return .....
18 endfunction
```

[5]

ii. Explain the purpose of line 03 in the function `countRow`.

[2]

iii. Describe the purpose of branching and iteration in the function `countRow`.

[3]

iv. The procedure `displayRowAnswer()` takes `puzzle` as a parameter and outputs the value in each box. Each box in a row is separated by a space. At the end of each row there are two spaces and (by calling the function `countRow` from part (i)) the clue values for that row.

For example the puzzle below:

1	1	0	0	0
0	1	1	0	0
0	0	1	0	1
1	1	1	0	0
0	1	0	0	0

Would output:

```
1 1 0 0 0      2
0 1 1 0 0      2
0 0 1 0 1      1 1
1 1 1 0 0      3
0 1 0 0 0      1
```

Write pseudocode or program code for the procedure `displayRowAnswer()`.

[6]

v. The function `checkWon()` takes `answerGrid` and `puzzle` as parameters and compares each element in the grids. If they are identical, it returns `true`, otherwise returns `false`.

```
01  function checkWon(puzzle)
02      for row = 0 to 4
03          for column = 0 to 4
04              if puzzle[row, column] == answerGrid[row, column] then
05                  return false
06              endif
07          next column
08      next column
09      return true
10  endfunction
```

There are **three** logic errors in the function `checkWon`

State the line number of each error and give the corrected line.

Error 1 line number

Error 1 correction

Error 2 line number

Error 2 correction

Error 3 line number

Error 3 correction

[3]

(c) * Juan passed the two arrays as parameters, but he did consider making them globally accessible.

Compare the use of global and local variables and data structures in this program. Include the use of parameters and program efficiency in your answer.

[9]

(d) Juan wants to create a program that will generate new Nonograms with different grid sizes. For example a Nonogram with a 10×10 grid or a 5×20 grid.

Describe how the program could be written to automatically generate a new Nonogram.

[4]

END OF QUESTION PAPER